




Catalog of Remote Control Products

26DR Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 26 keys • Card type with membrane switch design • For Microsoft Vista O/S • L: 124 mm W: 52 mm H: 7 mm • Battery : CR2025 x 1
46EZ Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 22 keys to max. 46 keys • 4-direction control keys • For Microsoft Vista O/S • L: 200 mm W: 53 mm H: 29 mm • Battery : AAA x 2
18GW Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 18 keys • Card type with membrane switch design • Waterproof Remote Control • Water-resisting while put in 0~50°C Water up to 50 cm deep for one houe • L: 83 mm W: 50 mm H: 10 mm • Battery : CR2025 x 1

Catalog of Remote Control Products

18AI/28AI Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 28 keys • Card type with membrane switch design • 18 keys / 28 keys model available • L: 90 mm W: 55 mm H: 7 mm • Battery : CR2025 x 1
21GE Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 21 keys • Card type with membrane switch design • L: 80 mm W: 40 mm H: 7 mm • Battery : CR2025 x 1
28CK Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 28 keys • Card type with rubber pad design • With name plate • Laser pointer optional • L: 90 mm W: 50 mm H: 9.5 mm • Battery : CR2025 x 1

Catalog of Remote Control Products

27DR/44DR Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 44 keys • Card type with membrane switch design • 27 keys / 44 keys model available • L: 124 mm W: 52 mm H: 7 mm • Battery : CR2025 x 1
43FW Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 27 keys to Max. 43 keys • Card type with rubber pad design • L: 135 mm W: 53.5 mm H: 9.5 mm • Battery : CR2025 x 1
48GQ Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 48 keys • Card type with rubber pad design • With name plate • L: 110 mm W: 50 mm H: 10.7 mm • Battery : CR2025 x 1



Catalog of Remote Control Products

48DM Series	
	Features: <ul style="list-style-type: none">• Max. 48 keys• Card type with membrane switch design• L: 150 mm W: 52 mm H: 8 mm• Battery : CR2025 x 1
52BS Series	
	Features: <ul style="list-style-type: none">• Max. 52 keys• Card type with membrane switch design• L: 145 mm W: 52 mm H: 7 mm• Battery : CR2025 x 1
29BZ Series	
	Features: <ul style="list-style-type: none">• Min. 17 keys to Max. 29 keys (Not include mouse cursor control keys)• Rubber pad mouse cursor control• Laser pointer optional• L: 155 mm W: 58 mm H: 32 mm• Battery : AAA x 2

Catalog of Remote Control Products

310J Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 12 keys to Max. 31 keys (Not include mouse cursor control keys) • Trackball mouse cursor control • Laser pointer optional • Can be put upright • Push -to-Click design optional • Patent No. 083827 • L: 163 mm W: 57 mm H: 70 mm • Battery : AAA x 2
36AU Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Fixed 36 keys • Rubber pad mouse cursor control (Not include mouse cursor control keys) • L: 195 mm W: 60 mm H: 27.4 mm • Battery : AAA x 2
37BD Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 16 keys to Max. 37 keys (Not include mouse cursor control keys) • Rubber pad mouse cursor control • L: 195 mm W: 60 mm H: 24.7 mm • Battery : AAA x 2

Catalog of Remote Control Products

40CF Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 25 keys to Max. 40 keys (Not include mouse cursor control keys) • Trackball mouse cursor control • Laser pointer optional • Push -to-Click design optional • L: 192 mm W: 55 mm H: 42 mm • Battery : AA x 2
08MC/13MC Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 13 keys • 8 keys / 13 keys model available • With name plate • L: 160 mm W: 36 mm H: 19 mm • Battery : AAA x 2
24YC Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Fixed 24 keys • L: 130 mm W: 56 mm H: 16.6 mm • Battery : AAA x 2

Catalog of Remote Control Products

30UC Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 30 keys • With name plate • L: 183.5 mm W: 48 mm H: 17.8 mm • Battery : AAA x 2
31DV Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 31 keys • 4-direction control keys • With name plate • L: 168 mm W: 46 mm H: 27 mm • Battery : AAA x 2
35DS Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Fixed 28 keys, 29 keys or 35 keys • Metal dome keypad • 4-direction control keys • L: 168.5 mm W: 50 mm H: 25 mm • Battery : AAA x 2

Catalog of Remote Control Products

36DC Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 36 keys • With name plate • L: 170 mm W: 55 mm H: 17 mm • Battery : AAA x 2
36CJ Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 17 keys to Max. 36 keys • 4-direction control keys • Laser pointer optional • Can be put upright • Patent No. 083827 • L: 163 mm W: 57 mm H: 70 mm • Battery : AAA x 2
37BG Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Max. 37 keys • 4-direction control keys • Backlight function is optional • With name plate • L: 160 mm W: 56 mm H: 24 mm • Battery : AAA x 2

Catalog of Remote Control Products

39BI/45BI Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Fixed 39 keys or 45 keys • 4-direction control keys • Big button design • L: 220 mm W: 60 mm H: 27 mm • Battery : AAA x 2
45EM Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 30 keys to Max. 45 keys • 4-direction control keys • L: 192 mm W: 55 mm H: 42 mm • Battery : AA x 2
45EP Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 33 keys to Max. 45 keys • Metal dome keypad • 4-direction control keys • L: 175 mm W: 55 mm H: 24.5 mm • Battery : AAA x 2
46AJ Series	

Catalog of Remote Control Products


	<p>Features:</p> <ul style="list-style-type: none"> · Max. 46 keys · With name plate · L: 172 mm W: 58 mm H: 19.3 mm · Battery : AAA x 2
<p>47BM Series</p>	
	<p>Features:</p> <ul style="list-style-type: none"> · Max. 47 keys · 4-direction control keys · With IR LENS · With name plate · L: 185 mm W: 58 mm H: 26.5 mm · Battery : AAA x 2
<p>47DD Series</p>	
	<p>Features:</p> <ul style="list-style-type: none"> · Max. 47 keys · 4-direction control keys · With name plate · L: 185 mm W: 58 mm H: 25 mm · Battery : AAA x 2





Catalog of Remote Control Products

51FJ Series	
	Features: <ul style="list-style-type: none">• Min. 35 keys to Max. 51 keys• 4-direction control keys• L: 162.5 mm W: 50 mm H: 25 mm• Battery : AAA x 2
53CZ Series	
	Features: <ul style="list-style-type: none">• Max. 53 keys• 4-direction control keys• With name plate• L: 175 mm W: 60 mm H: 25 mm• Battery : AAA x 2
55FH Series	
	Features: <ul style="list-style-type: none">• Max. 55 keys• 4-direction control keys• Backlight function optional• With name plate• L: 175 mm W: 55 mm H: 25.5 mm• Battery : AAA x 2

Catalog of Remote Control Products

55EN Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 5 keys to Max. 55 keys • 4-direction control keys • Backlight function is optional • L: 205 mm W: 52 mm H: 30.5 mm • Battery : AAA x 2
63DW Series	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 51 keys to Max. 63 keys • 4-direction control keys • L: 195 mm W: 55 mm H: 29 mm • Battery : AAA x 2
RF Type	
	<p>Features:</p> <ul style="list-style-type: none"> • Min. 25 keys to Max. 40 keys • Can function as hot keys of keyboard or mouse • Multimedia editing function available • 2.4 GHz radio frequency transmission with 14 channels • L: 192 mm W: 55 mm H: 42 mm • Battery : AA x 2

Catalog of Remote Control Products

Universal Type & Learning Type	
	<p>Features:</p> <ul style="list-style-type: none"> • 700 library coverage • Easy to operate and control • Up to two extra sets of customer codes available • With quick search function • Plus learning function available • Low battery, function & transmission indicator • L: 185 mm W: 58 mm H: 25 mm • Battery : AAA x 2
BKRC Series	
	<p>Features:</p> <ul style="list-style-type: none"> • IC, RS232C, PS2 or USB interface available • Adhesive design optional • For external receiver • L: 59 mm W: 63 mm H: 22 mm